



**VISTA
PROFESSIONAL
OUTDOOR
LIGHTING**



BRASS & COPPER SERIES

PRECISION-CRAFTED
BRASS AND COPPER LIGHTING
FIXTURES

PATH LIGHTS



REFLECTIVE WHITE SURFACE ENHANCES LIGHT OUTPUT

The painted white reflective surface on the underside of Vista fixture tops maximizes the output and dispersion of the light from the efficient halogen lamp. This added manufacturing step results in an effective and efficient fixture that casts uniform light.

TURN-TO-LOCK RETENTION MECHANISM

A solid brass bayonet locking system secures the fixture's top to the stem. Each Turn-to-Lock mechanism is manufactured from precise-tolerance CNC machined parts crafted from solid brass bar stock. The system provides the most robust means of connecting the fixture top to the stem, providing superior durability and vandal resistance.

ROBUST FIXTURE STEM

Constructed of hand polished thick-wall solid brass or solid copper pipe, not flimsy tubing, Vista fixture stems are built to last.



2165 BSO

- 3½" diameter
- 16½" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2160 BSO

- 4½" diameter
- 16½" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2128 BSO

- 5½" diameter
- 17" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2129 BSO

- 7½" diameter
- 17½" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included

HEAVY-GAUGE TOPS AND HOUSINGS

Hold a Vista brass or copper fixture in your hand and you will immediately notice the heavy weight of the thick brass or copper components. Vista doesn't cut corners by using thinner materials or false finishes in crafting the Brass & Copper Series. Each fixture housing is made from extra-thick virgin brass or copper that helps resist damage from maintenance equipment and foot traffic.



2125 BSO

- 6" diameter
- 13¼" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2126 BSO

- 8" diameter
- 13¼" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2127 BSO

- 10" diameter
- 17" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2130 BSO

- 7" diameter
- 13" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2131 BSO

- 9" diameter
- 17" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2132 BSO

- 5½" diameter
- 17½" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2133 BSO

- 7½" diameter
- 18" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included

UP & ACCENT



2316 BSO

- 7 1/4" length
2 1/2" diameter
- 20W MR-16 Hal.
20W max. or
5W LED
- Ground stake,
tree mount or
wall canopy



2350 BSO

- 7 1/4" length
2 1/2" diameter
- 20W MR-16 Hal.
50W max. or
5W LED
- Ground stake,
tree mount or
wall canopy

FLOOD



2104 BSO

- 6 7/8" overall height
5 1/8" diameter
2 3/8" width
- 10W T3 Halogen
20W max. or
3W LED
- ABS ground
stake included

IN-GROUND



2170 BSO

- 5" diameter
4 3/4" depth
- 20W MR-16 Hal.
50W max. or
5W LED



2171 BSO

- 5" diameter
4 3/4" depth
- 20W MR-16 Hal.
50W max. or
5W LED



2172 BSO

- 5" diameter
4 3/4" depth
- 20W MR-16 Hal.
50W max. or
5W LED

STEP & BRICK



2147 BSO

- 5" diameter
- 20W MR-16 Hal.
50W max. or
5W LED



2148 BSO

- 5" diameter
- 20W MR-16 Hal.
50W max. or
5W LED



2149 BSO

- 5" diameter
- 20W MR-16 Hal.
50W max. or
5W LED



2141 BSO

- 4 3/4" width
2 7/8" height
- 10W T3 Halogen
20W max. or
3W LED



2142 BSO

- 4 3/4" width
2 7/8" height
- 10W T3 Halogen
20W max. or
3W LED



2145 BSO

- 9 1/8" wide
2 7/8" height
- 10W T3 Halogen
20W max. (x2) or
5W LED

STEP & BRICK



2146 BSO

- 9 1/8" wide
2 7/8" height
- 10W T3 Halogen
20W max. (x2) or
5W LED



4260 BSO

- 5 3/4" length
7/8" height
1" depth
- 10W T3.5 Xenon
10W max.



4261 BSO

- 12" length
7/8" height
1" depth
- 10W T3.5 Xenon
10W max. (x2)



4263 BSO

- 24" length
7/8" height
1" depth
- 10W T3.5 Xenon
10W max. (x4)


UNDERWATER



2117 BSO

- 5" diameter
4 3/4" height
- 20W MR-16 Hal.
50W max. or
5W LED

PATH LIGHTS



2165 BSN

- 3½" diameter
16½" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2160 BSN

- 4½" diameter
16½" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2128 BSN

- 5½" diameter
17" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2129 BSN

- 7½" diameter
17½" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2130 BSN

- 7" diameter
13" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2131 BSN

- 9" diameter
17" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2132 BSN

- 5½" diameter
17½" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2133 BSN

- 7½" diameter
18" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2125 BSN

- 6" diameter
13¼" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2126 BSN

- 8" diameter
13¼" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



2127 BSN

- 10" diameter
17" Height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



4306 CSN

- 4½" diameter
18½" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included



9302 CSN

- 9" diameter
26" height
- 10W T3, 20W max. or 3W LED
- ABS ground stake included

UP & ACCENT



2316 CSN

- 7¼" length
2½" diameter
- 20W MR-16 Hal.
20W max. or
5W LED
- Ground stake,
tree mount or
wall canopy



2350 BSN

- 7¼" length
2½" diameter
- 20W MR-16 Hal.
50W max. or
5W LED
- Ground stake,
tree mount or
wall canopy

FLOOD



2104 BSN

- 6⅞" overall height
5½" diameter
2⅜" width
- 20W MR-16 Hal.
50W max. or
5W LED
- ABS ground
stake included

IN-GROUND



2170 CSN

- 5" diameter
4¾" depth
- 20W MR-16 Hal.
50W max. or
5W LED



2171 CSN

- 5" diameter
4¾" depth
- 20W MR-16 Hal.
50W max. or
5W LED



2172 CSN

- 5" diameter
4¾" depth
- 20W MR-16 Hal.
50W max. or
5W LED

STEP & BRICK



2147 CSN

- 5" diameter
- 20W MR-16 Hal.
50W max. or
5W LED



2148 CSN

- 5" diameter
- 20W MR-16 Hal.
50W max. or
5W LED



2149 CSN

- 5" diameter
- 20W MR-16 Hal.
50W max. or
5W LED



2141 BSN

- 4¾" width
2⅞" height
- 10W T3 Halogen
20W max. or
3W LED



2142 BSN

- 4¾" width
2⅞" height
- 10W T3 Halogen
20W max. or
3W LED



2145 BSN

- 9½" wide
2⅞" height
- 10W T3 Halogen
20W max. (x2) or
5W LED

UNDERWATER



2117 CSN

- 5" diameter
4¾" height
- 20W MR-16 Hal.
50W max. or
5W LED




2114 BSN

- 2½" diameter
1¾" height
- 5W LED



2146 BSN

- 9½" wide
2⅞" height
- 10W T3 Hal.
20W max. (x2)
or 5W LED



4260 BSN

- 5¾" length
7⁄8" height
1" depth
- 10W T3.5 Xenon
10W max.



4261 BSN

- 12" length
7⁄8" height
1" depth
- 10W T3.5 Xenon
10W max. (x2)



4263 BSN

- 24" length
7⁄8" height
1" depth
- 10W T3.5 Xenon
10W max. (x4)

PATH LIGHTS



2165 CSN

- 3½" diameter
16½" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2160 CSN

- 4½" diameter
16½" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2128 CSN

- 5½" diameter
17" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2129 CSN

- 7½" diameter
17½" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2132 CSN

- 5½" diameter
13¼" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2133 CSN

- 7½" diameter
18" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2125 CSN

- 6" diameter
13¼" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2126 CSN

- 8" diameter
13¼" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2127 CSN

- 10" diameter
17" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2130 CSN

- 7" diameter
13" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included




2131 CSN

- 9" diameter
17" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included




2138 CSN

- 2½" diameter
16" Height
- 20W MR-16 35W max. or 5W LED
- Ground and concrete mounting kit included



2134 CSN

- 8½" diameter
25" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2135 CSN

- 9" diameter
25" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2154 CSN

- 8½" diameter
25" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2155 CSN

- 9" diameter
25" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2136 CSN

- 6" diameter
28¼" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included



2137 CSN

- 6½" diameter
28¼" Height
- 10W T-3, 20W max. or 3W LED
- ABS ground stake included

UP & ACCENT



2111 CSN

- 6 3/8" length
- 1 1/2" diameter
- 20 W MR-11 Hal. 20W max.
- Ground stake, tree mount or wall canopy



2116 CSN

- 7 3/8" length
- 2 1/2" diameter
- 20W MR-16 Hal. 35W max. or 5W LED
- Ground stake, tree mount or wall canopy



2120 CSN

- 5 1/2" length
- 2 1/2" diameter
- 20W MR-16 Hal. 20W max. or 5W LED
- Ground stake, tree mount or wall canopy



2516 CSN

- 9 1/4" length
- 2 1/2" diameter
- 20W MR-16 Hal. 50W max. or 5W LED
- Ground stake, tree mount or wall canopy

FLOOD



2104 CSN

- 6 7/8" overall height
- 5 1/8" diameter
- 2 3/8" width
- 20W T3 Halogen 20W max. or 3W LED
- ABS ground stake included


STEP & BRICK



2141 CSN

- 4 3/4" width
- 2 7/8" height
- 10W T3 Halogen 20W max. or 3W LED

STEP & BRICK



2142 CSN

- 4 3/4" width
- 2 7/8" height
- 10W T3 Halogen 20W max. or 3W LED




2145 CSN

- 9 1/8" wide
- 2 7/8" height
- 10W T3 Halogen 20W max. (x2) or 5W LED



2146 CSN

- 9 1/8" wide
- 2 7/8" height
- 10W T3 Hal. 20W max. (x2) or 5W LED



4260 CSN

- 5 3/4" length
- 7/8" height
- 1" depth
- 10W T3.5 Xenon 10W max.



4261 CSN

- 12" length
- 7/8" height
- 1" depth
- 10W T3.5 Xenon 10W max. (x2)



4263 CSN

- 24" length
- 7/8" height
- 1" depth
- 10W T3.5 Xenon 10W max. (x4)

HANGING



2150 CSN

- 2 1/2" diameter
- 4 5/8" height
- 20W MR-16 35W max. or 5W LED



2152 CSN

- 6" wide
- 6" height
- 10W T3 halogen 20W max. or 3W LED



2153 CSN

- 6 1/2" wide
- 6" height
- 10W T3 halogen 20W max. or 3W LED

WALL MOUNT



2151 CSN

- 4 3/4" width
- 2 7/8" height
- 20W MR-16 35W max. or 5W LED



2522 CSN

- 2 1/2" width
- 6 1/4" height
- 20W MR-16 35W max. or 5W LED (2 lamps)



2521 CSN

- 2 1/2" wide
- 4 1/2" height
- 20W MR-16 35W max. or 5W LED

IN-GROUND



5270

- 5" diameter
- 4¾" depth
- 20W MR-16 Hal.
- 50W max. or 5W LED



5271

- 5" diameter
- 4¾" depth
- 20W MR-16 Hal.
- 50W max. or 5W LED



5272

- 5" diameter
- 4¾" depth
- 20W MR-16 Hal.
- 50W max. or 5W LED



5273

- 5" diameter
- 4¾" depth
- 20W MR-16 Hal.
- 50W max. or 5W LED



5240

- 5¾" diameter
- 7¾" height
- PAR-36 Halogen
- 50W max



5242

- 5¾" diameter
- 8¾" height
- PAR-36 Halogen
- 50W max

UNDERWATER



5217

- 5" diameter
- 4¾" height
- 20W MR-16 Hal.
- 50W max. or 5W LED



4217

- 2½" diameter
- 1¾" height
- 5W LED

HANDCRAFTED STAINLESS STEEL FIXTURES

Many of the Vista brass and copper designs can also be ordered in stainless steel. These fixtures are the perfect compliment to contemporary outdoor living, harmonizing well with outdoor kitchens and the clean lines of modern architecture.

Each stainless steel fixture is made with the same care and quality as our copper versions, only with high-grade stainless steel for superior durability and corrosion-resistance.

Pictured are a selection of our stainless steel fixtures. For a complete review of all styles available, consult the Vista catalog or web site.



12 VOLT TRANSFORMERS



MT-600 shown with optional DTC-170 digital timer

LED INDICATORS:

Industry first red and green LED On/Off indicators to facilitate troubleshooting on both primary and secondary.

PRIMARY PROTECTION:

Auto thermal shut-off.

SECONDARY PROTECTION:

Resettable high performance magnetic circuit breaker. The toggle switch may also be used for manual on/off switching.

WIRING:

• Removable, swing-down enclosure bottom with Adjustable Cable Raceway Feeder (ACRF).

• Extra-large terminal strip for multiple low voltage cable connections.

• Separate accessory terminal strip for easy installation of optional photo-cell, motion sensor, or other external switching devices.

• Large 1¼"-2" and multiple ½"-¾" knockouts.

• 120-volt terminal strip for easy hardwiring.
• 120-volt accessory receptical for use with optional, removable multi-setting mechanical (TC-112) 24-hour timer or electronic/ digital (DTC-170) 7-day timer.

CERTIFICATION:

MT & CTS series transformers are UL Listed to U.S. and Canadian safety standards for landscape lighting transformers (UL 1838).

HP Series Transformers

Available in 300, 600, 900 & 1200 Watts

DIMENSIONS:

17" High x 9" Wide x 5½" Deep.

EXTERIOR CONSTRUCTION:

20-gauge polished, top-grade domestic, 304 stainless steel

PRIMARY VOLTAGE: 120 Volts

SECONDARY VOLTAGE:

12,13,14,15,16,17,19, and-22-Volts

Grounded and isolated with encapsulated core and-coil.

WIRING:

The HP Series Transformers have all the-wiring features of the MT and CTS Series plus-extended, color coded terminal leads with removable dead front covers for alternative hard wiring techniques.

CERTIFICATION:

HP series transformers are UL Listed to U.S. and Canadian safety standards for general purpose transformers (UL 506).

MT & CTS Series Transformers

Available in 300, 600, 900 & 1200 Watts

DIMENSIONS:

17" High x 9" Wide x 5½" Deep.

EXTERIOR CONSTRUCTION:

20-gauge polished, top-grade domestic, 304 stainless steel

PRIMARY VOLTAGE: 120 Volts

SECONDARY VOLTAGE:

MT -11, 12, 13, 14, and 15 Volts.
CTS -12 Volts, 300 & 600 watts with high/low settings.

Grounded and isolated with encapsulated core and-coil.

EXPERIENCE THE ELEGANCE OF VISTA'S BRASS & COPPER SERIES



Vista Professional Outdoor Lighting creates an enjoyable outdoor environment for family & friends.

Extend the enjoyment of your outdoor living spaces into the nighttime hours with Vista's solid brass and solid copper light fixtures.

Only Vista offers the broadest selection of handcrafted brass and copper fixtures, each custom-made to enhance the aesthetics of your landscape environment. Choose from fixtures to light pathways, garden areas, architectural features, patios, decks and more.

Each Vista brass or copper fixture is painstakingly constructed to rigorous specifications insuring durability and lasting satisfaction.

Thicker, heavier materials are used in every part of the fixture to provide long life. Housings are from heavy-gauge brass or copper

stock that stands up in heavy traffic areas. Stems are from thick-walled solid brass or copper tube that resists maintenance equipment and vandals.

Bases and adjustable knuckles are constructed from precision-machined solid brass or copper bar stock. All components of our Brass & Copper Series are made in-house at our facility in Simi Valley, California, allowing careful monitoring of the production process and continuous checks of the fit and finish of each component.

ENERGY-EFFICIENT OUTDOOR LIVING FROM VISTA



*Another industry-first from Vista,
a complete range of brass fixtures available with
energy-saving LED. Lowers power use by up to 80%
without sacrificing quality of light.*



**VISTA
PROFESSIONAL
OUTDOOR
LIGHTING**



1625 Surveyor Ave, Simi Valley, CA 93063
(800) 766-VISTA (8478) www.VistaPro.com

